PRODUCT DATA SHEET

KVIK SHINE

VINYL AND PLASTIC DRESSING PRODUCT CODE: 165

DESCRIPTION AND PRODUCT BENEFITS:

KWIK SHINE provides a water-resistant, high gloss shine to areas such as bumpers, dashboards, vinyl tops, rubber hoses, and door gaskets. Ideal for hard-to-reach areas such as air conditioning vents and gear shift boots. Performs equally well for interior and exterior applications. No wiping required. Watermelon scented. KWIK SHINE is a clear coating that does not contain pigments and is designed to be applied over any other coating.

DIRECTIONS OF USE AND APPLICATION:

1. Preclean the areas of application to ensure dust, dirt, and grime is removed. 2. Shake the aerosol well before use. 3. Using a stroking motion, spray a light coat of KWIK SHINE. Hold the can 10" to 12" from the area of application. 4. Apply two or more coats to the area of application, rather than on heavy coat. No wiping required. Tips: For best results, spray at 21°C (70°F) to 26°C (80°F). If desired, polish the areas of application using a soft, dry cloth after allowing KWIK SHINE to dry for a few minutes.

PRECAUTIONS:

Test spray on inconspicuous area or scrap piece to check compatibility. Do not spray, or allow overspray, to contact any clear plastic instrument panel. Do not apply to brake, clutch, accelerator pedals, or steering wheel. Do not mix with other chemicals. Keep from freezing.

HEALTH & SAFETY INFORMATION:

For further information on the safe handling, storage and precautions for use of this product, consult the Safety Data Sheet. Keep out of reach of children.

DISCLAIMER:

As the actual conditions of use are out of our control no liability is accepted for any loss or damage caused directly or indirectly through the use of our products. Intending users should satisfy themselves, by carrying out appropriate tests, as to the suitability of this product for any particular purpose.





Valles



Auto Valet is a registered trademark. © Leysons Products



TYPICAL DATA:

APPEARANCE: Clear liquid. SPECIFIC GRAVITY: ~ 0.9 g/ml ODOUR: Solvent. FLASH POINT: - 105°C

AVAILABLE SIZES:







NEW V.O.C.